

Terna Collection
15" Terna Patio Ceiling Fan WSP
 310215WSP (Weathered Steel Powder Coat)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Product Information

| | |
|--------------|-----------------------------|
| Product ID | 310215WSP |
| Finish | Weathered Steel Powder Coat |
| Blade Finish | Champagne/Non-Reversible |
| Collection | Terna Collection |

Airflow, Power and Efficiency

| Speed | RPM | CFM | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High | 308 | 1029 | 31 | .28 | 34 |
| Med | 187 | 655 | 38 | .28 | 17 |
| Low | 91 | 277 | 32 | .22 | 9 |

Specifications


| | |
|---------------------------|----------------|
| Number of Blades | 5 |
| Blades Included | Yes |
| Blade Sweep | 15" |
| Blades Reversible | No |
| Blade Material | POLYCARBONATE |
| Optional Blades Available | No |
| Downrod 1 | 1.00 OD X 4.50 |

3 Speed Cooltouch Full Function - In project applications using multiple ceiling fans, alternative remote controls may be required. Please contact Kichler Advanced Product Solutions at 844-542-4537 to confirm your project requirements.

Primary Control System

| | |
|-----------------------|--------------|
| Remote Included | Yes |
| Wall Control Included | No |
| Low Ceiling Adaptable | No |
| Lead Wire Length | 78.00" |
| Motor Size | 153MM X 15MM |
| Motor Type | AC |

Dimensions



| Downrod | A | B | C | D |
|----------------|-------|-------|------|------|
| 1.00 OD X 4.50 | 19.50 | 19.00 | 7.25 | 6.14 |

Available Finishes

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------|---------|-------|---------|---------|
| | | | | |

Downlight

| | |
|-------------------------|------------|
| Light Source | LED |
| Downlight Bulb Included | Integrated |
| Watts | 34/17/9 |
| Initial Lumens | 1600 |

Terna Collection

15" Terna Patio Ceiling Fan WSP

310215WSP (Weathered Steel Powder Coat)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|-----------------------------|-----------|-------------------|-----------------|----------------|
| Weathered Steel Powder Coat | 310215WSP | ETCHED CASED OPAL | CHAMPAGNE | NON-REVERSIBLE |
| Tannery Bronze Powder Coat | 310215TZP | ETCHED CASED OPAL | OIL BRSH BRONZE | NON-REVERSIBLE |

| | |
|------------------------------|-------------------|
| Max or Nominal Watt | 17W |
| Glass Description | Etched Cased Opal |
| Optional Light Kit Available | No |
| Efficacy (LMIW) | 94 |
| Kelvin Temperature | 3000K |
| Color Rendering Index | 80 |

Control Options

| Product ID | Descr |
|-------------|-----------------------------|
| 370038MULTR | Wall Transmitter F-Function |

Safety Listings & Certifications

| | |
|--------------|--|
| Safety Rated | Damp |
| Warranty | www.kichler.com/warranty |

Installation

| | |
|---|---|
| Installation requirements | The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support"" |
| Electrical Requirements | 120V 60Hz AC |
| Hanging Weight | 15.87 LBS |
| Minimum Distance Between Bottom Of Fan Blade To Floor | 7.5 feet |

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.